KOREAN CUISINE

Jipjang

Seasoned Soybean Paste | 집장



https://koreancuisine.net

Jipjang is a uniquely Korean summer fermentation delicacy—a fast-maturing, vegetable-integrated soybean paste engineered to stimulate the appetite during hot and humid months. Unlike standard Doenjang which requires long-term aging, Jipjang incorporates a high ratio of gelatinized carbohydrates (like glutinous rice paste or cooked barley) to maximize enzymatic saccharification. It is then heavily folded with brined summer vegetables like eggplants, cucumbers, and green chilies. Fermented aggressively in a warm environment for just 3 to 7 days, it transforms into a multidimensional hybrid paste characterized by a mild salinity, the natural sweetness of broken-down starches, a refreshing hint of lactic acidity, and the satisfying crunch of preserved vegetables.

- ⏱️ **Total:** 3–7 Days | **Prep:** 1 Day (Vegetable osmotic dehydration & starch gelatinization) | **Cook & Ferment:** 3–7 Days (Ambient thermophilic quick-fermentation)
- 🍳 **Difficulty:** Medium-High (Requires strict moisture control of the vegetable matrix to prevent sour spoilage during warm fermentation)
- 🌶️ **Profile:** A highly complex, mildly salty umami cut by the refreshing crunch of vegetables and a deep, natural grain sweetness
- 🍚 **Focus:** Osmotic Dehydration of Vegetables, Enzymatic Starch Gelatinization & Saccharification, Thermophilic Short-term Aging
- 🍶 **Pairing:** Cold barley rice bowls, steamed pumpkin leaf wraps, and as a low-sodium dip for fresh summer produce

Physicochemical & Sensory Matrix

- **Baseline Salinity:** 5.0% ~ 7.0% (Significantly lower than traditional Doenjang, designed for immediate, high-volume consumption)
- **pH Equilibrium:** 4.8 ~ 5.3 (Pleasant buffering acidity derived from short-term lactic fermentation and vegetable organic acids)
- **Viscosity Index:** [■■■■□] (A dense, chunky paste matrix suspended in a glossy glutinous gel)
- **Umami Density (T1R1/T1R3 Synergy):** 9.1 / 10 (Synergy between Meju amino acids and vegetable-derived glutamates)
- **Shelf Stability:** 1~2 Weeks (Due to high moisture and low salinity, must be refrigerated immediately upon peak fermentation)
- **Aroma Profile:** Sweet Grain Saccharification Notes | Fresh Green Alkyl Aromas | Subtle Lactic Fermentation Funk

Ingredients (Yields 1 Medium Glass Jar or Crock)

- **Fermentation & Protein Matrix:** 200g Traditional Meju Powder (Finely ground fermented soybean)

- **Carbohydrate Saccharification Matrix:** 2 Cups Glutinous Rice Paste (Made by boiling 4 tbsp glutinous rice flour in 2.5 cups of water until fully gelatinized, then cooled) OR 1 Bowl of Cooked Barley Rice
- **Vegetable Texture Matrix:** 1 Eggplant, 1 Korean Cucumber, 5 Green Chilies, 5 Cloves Garlic (All diced into small, pinky-knuckle-sized chunks)
- **Osmotic & Seasoning Matrix:** 1 Cup Traditional Soy Sauce (Joseon Ganjang), 3 tbsp Jochung (Rice Syrup), 2 tbsp Coarse Sea Salt (For brining vegetables)

Allergy Information

- **Contains:** Soy

Equipment Colander/Strainer, Large Mixing Bowl, Silicone Spatula, Sanitized Transparent Glass Jar or Small Earthenware Crock

Cooking Instructions

1. **Vegetable Osmotic Dehydration:** Sprinkle the coarse sea salt over the diced eggplant, cucumber, and chilies. Let sit for 1 to 2 hours. As osmosis forcefully draws water out of the plant cells, squeeze the vegetables tightly in a cheesecloth to expel all free moisture. (Failing to remove this moisture will result in a sour, spoiled fermentation).
2. **Starch Gelatinization & Blending:** In a large bowl, whisk the traditional soy sauce, rice syrup, and fine Meju powder into the completely cooled glutinous rice paste until a smooth, lump-free base matrix forms.
3. **Heterogeneous Matrix Fusion:** Fold the thoroughly dehydrated vegetables and thinly sliced garlic into the base paste, mixing vigorously with a spatula to ensure even distribution.
4. **Thermophilic Quick-Fermentation:** Pack the Jipjang tightly into a sanitized container, pressing down to eliminate air pockets. Seal the surface with cling wrap. Ferment rapidly in a warm environment (28–32°C / 82–90°F) or direct sunlight for 3 to 5 days.
5. **Refrigerated Stabilization:** Once microscopic bubbles appear and the paste emits a sweet, slightly tangy fermentation aroma, the aging is complete. Transfer immediately to the refrigerator to halt aggressive microbial activity and consume chilled.

💡 **Professional Culinary Tips**

- **Biochemistry of Vegetable Moisture:** 90% of Jipjang failures occur due to excess free water bleeding from the vegetables. Salting to shrink the pectin network and physically squeezing out the moisture is the primary defense mechanism against yeast overpopulation and rogue alcoholic (sour)

fermentation.

- **Amylase Enzymatic Saccharification:** If substituting cooked barley for the glutinous rice paste, the Bacillus bacteria and amylase enzymes present in the Meju powder will aggressively break down the barley starches into reducing sugars. This natural saccharification process generates Jipjang's signature elegant sweetness without relying on refined sugars.

🥄 Gastronomic Pairing

- **The Masterkey of Summer Tables:** Because of its low salinity, Jipjang is meant to be eaten in large spoonfuls like a side dish. Scoop generous amounts over a bowl of chilled barley rice soaked in ice water, or use it to heavily coat steamed pumpkin leaves. The crunchy texture of the fermented vegetables colliding with the deep, savory soy base brilliantly resurrects heat-fatigued palates.

Nutrition Facts (Estimated)

Total Content : Approx. 20g (1 tbsp)
Calories : 35 kcal (Fermented carbohydrates and plant-based protein matrix) –
Sodium : 310mg (Low-sodium fermentation baseline)
– Total Carbohydrate : 6.0g (Complex polysaccharides from rice paste and vegetables)
– Sugar : 2.0g (Enzymatic saccharification products and rice syrup)
– Total Fat : 0.4g (Trace lipids from soybeans)
– Saturated Fat : 0.1g
– Cholesterol : 0.0mg (100% Vegan matrix)
– Protein : 1.5g (Meju peptides and free amino acids)
– Dietary Fiber : 1.2g (Dietary fiber from vegetable skins and soybean hulls)

*Daily Values are based on a 2,000 calorie diet and standard Korean nutritional reference values.
**Nutritional values are calculated based on original ingredients; substitutions may alter specific macronutrients.

Origins and Food Culture of Seasoned Soybean Paste (Jipjang)

1. Ancient Foundations: The *Qimin Yaoshu* Lineage and Joseon Agrarian Treatises

- Jipjang, recorded in classical Hanja literature as *Jipjang* (汁醬, literally "juice paste" or "liquid paste") or *Jipjang* (集醬/執醬), traces its conceptual lineage to ancient East Asian agricultural texts such as the 6th-century *Qimin Yaoshu*, evolving into a uniquely peninsular summer fermented delicacy.
- Prominently codified across monumental Joseon agrarian and culinary encyclopedias—including Hong Man-seon's *Sallim Gyeongje* (early 18th century), Yu Jung-im's *Jeungbo Sallim Gyeongje* (1766), Lady Yi's *Gyuhap Chongseo* (1809), and Seo Yu-gu's *Imwon Gyeongjeji*—Jipjang served as an ingenious quick-fermented seasonal condiment (*sokseong-jang*). Formulated during hot summer months when aged soy sauce reserves dwindled and garden produce flourished, it functioned simultaneously as an all-purpose seasoning and a complete fermented side dish (*banchan*).

2. The Culinary Science of Toroidal "Donut" Meju and Bio-Thermal Compost Thermodynamics

- The technical pinnacle of Jipjang lies in specialized meju shaping and harnessing the exothermic metabolic heat of ambient agricultural biomass.
- While traditional winter *meju* bricks are thick solid blocks, Jipjang meju is blended with wheat bran (*somaekpi*) and molded into flat rings with a hollow center—resembling large rustic donuts. This geometry dramatically maximizes surface area relative to volume, facilitating uniform aeration and rapid mold colonization (*Aspergillus oryzae*) while accelerating dehydration during humid summer weather. Once the powdered meju, porridge, and vegetables were mixed into crocks, ancestors traditionally nestled the jars inside deep piles of fermenting rice hulls (*wang-gyeo*) or organic compost heaps (*dueom*). The natural aerobic decomposition within the compost generated steady heat between 40°C and 50°C, providing a clean bio-thermal incubator that fully ripened the paste within three to seven days without requiring wood fuel.

3. Noble Clan Summer Heritage in Yeongnam and Honam: The Sovereign Banchan-Style Paste

- Jipjang flourished as an aristocratic seasonal delicacy preserved across prominent noble lineage estates (*jongga*) in Gyeongsang Province (Andong, Daegu) and Jeolla Province, crafted each summer by matriarchs to revive the lagging appetites of elderly clan elders.
- Unlike conventional doenjang used primarily as a boiling base for stews, Jipjang represents a rare hybrid genre: a ready-to-eat fermented vegetable preserve and savory sauce combined into a single vessel. Celebrated as an eco-friendly masterpiece of seasonal adaptation, nutritional balance, and microbial harmony, Seasoned Soybean Paste remains an immortal cultural monument to Korean slow-food ingenuity and rural domestic warmth.

The Crisp Turgor of Farmstead Eggplants and Cucumbers, the Earthy Proteolysis of Pulverized Meju, and the Rapid Acidic Synergy Sparked within Gentle Insulative Warmth: A Refined Portrait of Traditional Jipjang

Jipjang (Quick-Fermented Vegetable and Soybean Paste) stands as an agile, moisture-rich, and brilliant departure from the slow-moving cellar traditions of standard Korean soybean pastes. Rather than demanding a full year of seasonal aging within deep earthenware vessels, this summer delicacy unites finely powdered *meju* (fermented soybean blocks) with light starch porridges crafted from glutinous rice, barley, or wheat flour, folded together with freshly sliced garden vegetables—primarily eggplants, cucumbers, young chilies, and radishes. The hallmark of its production lies in a specialized thermodynamic incubation: traditionally sealed in earthenware crocks and buried inside warm compost piles, smoldering chaff beds, or wrapped in heavy quilts atop heated ondol floors to maintain an ambient temperature near 40°C, the paste undergoes an explosive, 48-to-72-hour co-fermentation. Operating at an uncommonly low salinity of 6 to 10%—roughly half that of standard doenjang—the vegetable cell walls soften gently without turning to mush, releasing their sweet cellular juices directly into the amino-rich soy matrix. Transcending the dense, heavy profile of long-aged pastes, Jipjang emerges as a vibrant, hydrating hybrid between a savory fermented dip and a succulent lacto-pickled relish.

Lifting a generous spoonful of glossy, amber-brown Jipjang into a ceramic bowl releases an olfactory profile distinct from ordinary preserved pastes: a bright, lactic tartness weaves through the peppery allicin of young chilies, the earthy fragrance of fermented soy peptides, and the mellow sweetness of softened eggplant skins. Resting a portion upon the tongue delivers an immediate rheological revelation. The smooth, starch-thickened soy slurry glides effortlessly across oral tissues, immediately followed by the yielding, sponge-like chew of the fermented cucumbers and eggplants, which burst with concentrated vegetable juices upon mastication. The restrained salinity allows the deep, microbial umami of the cleaved soy proteins to shine unhindered, while a refreshing wave of natural lactic acid awakens the palate and stimulates immediate salivation. Spooned over hot barley rice or eaten alongside cold water-steeped rice during the suffocating heat of midsummer, this juicy, fermented condiment cuts through seasonal lethargy, delivering clean, restorative nourishment that refreshes the body from within.

The cultural identity of Jipjang is enshrined across classic agrarian compendiums, recorded consistently under the name *Jipjang* (즙장, meaning "juice/sap paste") in early modern texts like *Sallim Gyeongje*, *Jeungbo Sallim Gyeongje*, and *Limwon Gyeongjeji*. Developed as a practical response to the physical exhaustion of midsummer farming, it allowed households to bypass the salty austerity of winter reserves, providing field workers with bioavailable plant proteins, hydration, essential electrolytes, and vital vitamins in a single preparation. Turning the biological urgency of hot weather into a dynamic culinary asset, a bowl of seasoned Jipjang remains an enduring testament to the practical genius, seasonal adaptability, and brilliant environmental intuition of the traditional Korean kitchen.

Editor's Review

1. A Three-Tiered High-Hydration Matrix: Spongy Softened Plant Tissue, Viscous Amylaceous Carrier, and Fine Cotyledon Particulates
Jipjang rejects the dense, plastic solidity of conventional aged pastes in favor of a moisture-dense, heterogeneous colloidal suspension:

- **Cellular Sponge Dynamics**: Subjected to mild enzymatic softening, the parenchyma tissues of the eggplant and cucumber retain structural resilience without collapsing into slime; upon mastication, their cellular chambers compress like miniature sponges, releasing trapped savory fluids.
- **Hydrated Starch Carrier**: Gelatinized amylopectin networks derived from the cooked rice or wheat flour porridge keep insoluble soy fragments suspended evenly, providing a silky, fluid mouthfeel that coats the palate smoothly without greasy drag.
- **Particulate Tactile Friction**: Finely milled meju granules supply an earthy, powdery graininess that gives the sauce physical substance, preventing the high moisture content from feeling thin or watery.

2. Bacillus-Lactobacillus Co-Fermentation, Pectinolytic Softening Kinetics, Amylase Saccharification, and Organic Acid Buffering
The speed, safety, and flavor harmony of Jipjang are driven by a precise coordination of heat-activated enzymatic reactions:

- **Symbiotic Co-Fermentation**: Sustained temperatures of 35–40°C paired with a low-salinity threshold (6–10%) enable the simultaneous metabolic activity of proteolytic *Bacillus subtilis* and halotolerant lactic acid bacteria (*Leuconostoc* and *Lactobacillus* species). Rapid protein hydrolysis supplies abundant free glutamates, while bacterial carbohydrate fermentation generates lactic and acetic acids that temper the paste's rustic funk with clean acidity.
- **Pectin Depolymerization**: Endogenous vegetable pectin methylesterases alongside microbial polygalacturonases selectively loosen the middle lamella of the vegetable cell walls, increasing cellular permeability and facilitating rapid bidirectional mass transfer between vegetable sap and the surrounding soy marinade.
- **Enzymatic Starch Saccharification**: Residual alpha- and beta-amylases within the dried meju powder hydrolyze the starch porridge into maltose and glucose, establishing an undercurrent of natural grain sweetness while fueling microbial lactic acid production.
- **Water Activity (Aw) and Acidic Preservation**: Because the high moisture content yields a relatively elevated water activity (Aw of approximately 0.85–0.90), microbiological safety is achieved not through dehydrating salinity, but through rapid acidification: the rapid generation of organic acids drives the pH down into a secure range of 4.2 to 4.6,

halting the proliferation of pathogenic putrefiers.

3. The Korean Bio-Pickle: Transcending Long-Term Preservation for Seasonal Vitality

Jipjang represents a forward-thinking paradigm in historical Korean gastronomy: abandoning the imperative of indefinite preservation to achieve immediate, seasonal functional nutrition. By transforming transient garden harvests into a deeply savory, probiotic-rich summer staple via accelerated solid-state fermentation, this refreshing, vegetable-laden paste embodies the ultimate practical brilliance, environmental resourcefulness, and culinary agility of traditional Korean food science.



Copyright ⓒ 2024 All rights reserved by DLF Co., Ltd.